

## REFERENCES

- Abo Zed (2006). Hydrodynamic Factors Affecting Sedimentation Regime in Damietta Harbour, Nile Delta Coast, Egypt. *Jour. Sedimentological Society of Egypt*. Vol. 14, p 15-28
- Aboul-Kassim, T. (1987). Cycles of carbon, nitrogen and phosphorus in the marine environment in Alexandria region. M.Sc. Thesis. Fac. Sci. Alex. Univer., Egypt.
- Agency for Toxic Substances and Disease Registry (ATSDR) (1990). Toxicological profile for Copper, ATSDR/TP-90/08. ATSDR, Atlanta, GA, 143 p.
- Agency for Toxic Substances and Disease Registry (ATSDR) (1993). Toxicological Profile for Lead (update). TP-92/12. ATSDR, Atlanta, GA, 227 p. plus appendices.
- Al- Sodany, Y.M. 1998. Vegetation analysis of the canals, drains and lakes of the northern part of Nile Delta. Ph.D. Thesis, Fac. Sci. Tanta Univ. ,Tanta, 232pp.
- American Medical Association (AMA) (1989). Home Medical Encyclopedia. Two volumes. Random House Publishers, NY, 1184 p.
- Ames, B. N. ; R. Magaw and L. S. Gold. (1987). Ranking possible carcinogenic hazards. *Science*, 236:271-280.
- Anderson, F. O. and H. S. Jensen (1992). Regeneration of inorganic phosphorus and nitrogen from seston in a freshwater sediment. *Hydrobiologia*, 228, 71.
- APHA/AWWA/WPCF (1989). Standard methods for examination of water and wastewater, 17<sup>th</sup> Ed, EPA, Wash., USA, 1193p.
- APHA, (1998): "Standard Methods for the examination of water and waste water. 20<sup>th</sup> ed. EPA. Washington. 1391p.
- Ayyad, M.A. 1973. Vegetation and Environment of the western Mediterranean coastal land of Egypt. The habitat of sand-dunes. *J.Ecol.* 61:509-525.
- Ayyad, M.A. and El-Ghareeb, R. 1982. Salt marsh vegetation of the western Mediterranean desert of Egypt.
- Batanouny, K.H. 1965. Sand dune vegetation of El-Arish area. *Bull Fac. Sci. Cairo Univ.*, 39:11-23.
- Beltagy (1983). The distribution of phosphorus, iron, manganese in recent marine sediments off the Nile delta. *Acta Adria*. Vol. 24: 193-203.
- Bender and Perkins, 1984: Seismic hazard analysis using a finite fault rupture model. *BSSA* 74, 1899-1920.
- Blodget, H.W., Taylor, P.T., Roark, J.H. 1991. Shoreline changes along the Rosetta-Nile promontory. Monitoring with satellite observations, *Marine Geology*, 99-67-77.
- Bouloubassi, I. and A. Saliot (1993). Investigation of Anthropogenic and Natural Organic Inputs in Estuarine Sediments Using Hydrocarbon Markers (NAH, LAB, PAH). *Oceanologica Acta*, 16, No.2, 145-161.

- Boulos, L. & El-Hadidi, M.N. 1994. The weed flora of Egypt. The American Univ. Press, Cairo, 361 pp.
- Boulos, L. & Jeffrey, C. 1969. *Sonchus gigas* and *S.Macrocarpus* (Comp.) Taxon 18:248-349.
- Boulos, L. 1983. Medicinal plants of North Africa. Reference Publications Incorporation, Algonac, Michigan, 286 pp.
- Boulos,L. 1995. Flora of Egypt, checklist. Al-Hadara Publishing, Cairo, Egypt. Pp. 283.
- Boulos,L. 2002. Flora of Egypt, vol. 1, 2,and 3, Al-Hadara Publishing, Cairo, Egypt..
- Braun-Blanquet, J. (1964). Pflanzensoziologien, Grundzüge der vegetation stunde. 3 Aufl. Springer. Wien. New York. XIV, 865 pp.
- Burns, K.A. and J.P. Villeneuve (1983). Biogeochemical Processes Affecting the Distribution and Vertical Transport of Hydrocarbon Residues in the Coastal Mediterranean. *Geochemica et Cosmochemica Acta*. Vol. 47, pp. 995-1006.
- CCME (1987). Canadian Council of Ministers of Environment, wit periodic updates.
- Clark, R. B. ; C. Frid and M. Attrill (1997). Marine Pollution. Oxford University Press Inc. New York. 161p.
- Dean, W.E., 1974, "Determination of carbonate and organic matter in calcareous sediments and sedimentary rocks by loss on ignition. Comparison with other methods," *J. of sedimentary petrology*, 44, pp. 242-248.
- Draz, S.E.O. (1983). The texture and Chemistry of the Nile sediments in the Rosetta Branch. M. Sc. Thesis. Alex. Univ. 97 p.
- Drar,M 1952. A report on *Kocchia indica* wight in Egypt. Bull . Instit. Fouad I. du Desert, 1:1.
- Draz,O 1954. Some desert plants and their uses in animal feeding. Publication de l'Institut du Desert d'Egypt, 2:1.
- Duane, D.B. (1964). Significance of Skewness in recent sediments west Palmico, North Carolina, *J. Sed. Petrol.* 34 (4); 864 - 874.
- Duchart, P.; Calvert, S and Price, N. (1973). Distribution of trace metals in the pore waters of shallow marine sediments. *Limnol. Oceanog.* Vol.18: 605-610.
- Dunning, A. and Major, C. W.: 1974, 'The effect in cold sea water of oil fractions upon the blue mussel *Mytilus edulis*' , *Aquatic Science Fisheries* 5: 214 – 221.
- EEAA (Egyptian Environmental Affairs Agency) 1996. Guideline for Development in Coastal Areas, Environmental Management Sector, 24p.
- EEAA (1997). National Oil Spill Contingence Plan – Interim Response Procedures. 16 p.
- El-Asmar, H.M., 1995. Impact of protection structures on physical and sedimentary parameters along the Damietta coastal area, Nile Delta, Egypt. *Egyptian Journal of Sedimentology* 3, 111 – 124.
- El-Asmar H.M. and White, K. 2002. Changes in coastal sediment transport processes due to construction of New Damietta Harbour, Nile Delta, Egypt. *Coastal Engineering* 46:127–138

- El-Gamily, H.I., S.M. Nasr and M. El-Raey. 2001. An assessment of natural and human induced changes along Hurghada and Ras Abu Soma coastal zone, Red Sea, Egypt. *Int. J. Remote Sensing*, v. 22(15): 2999-3014.
- El-Haridi, N.M.G. (1994). Assessment of the potential release of selected heavy metals in the sediments of the Mahmoudia canal. PhD Thesis. Alex. Univ. 239p.
- El-Wakeel, S.K., and Riley, J. P., 1957, "determination of organic carbon in marine EL Sabae, A. and Abo EL Amayem, M.: 1979, 'A survey to determine potential pollution of the Mediterranean by pesticides from the Egyptian region'. *Journee Etudee Pollution CIESM 5* : 149-153
- El Raey, M., O. Frihy, S. Nasr, S. Desouki and K. Dewidar. 1992. Impact of sea level rise on the Governorate of Alexandria, Egypt. *First Bahrain International Conference*.
- Environmental Protection Agency (EPA) (1980). Ambient water quality criteria for zinc. EPA Report 440/5-80-079. National Technical Information Service (NTIS), Springfield, VA.
- Eisler, R. (1985). Cadmium hazards to fish, wildlife, and invertebrates: a synoptic review. U.S. Fish Wildl. Serv. Biol. Rep. 85(1.2), 48p.
- El Fishawi N.M. and Fanos A.M. 1989. Prediction of sea level rise by 2100, Nile delta coast, INQUA, Commission on Quaternary Shorelines, Newsletter, 11, 43-47.
- El Raey, M., Sharaf El-Din, S. H. Khafagy, A. A. and Abo Zed, A. I., 1999. Remote sensing of beach erosion/ accretion patterns along Damietta- Port Said shoreline, Egypt. *International Journal of Remote Sensing*, 20:1087-1106.
- Emery K.O., Aubrey D.G. and Goldsmith V. 1988. Coastal neo-tectonics of the Mediterranean from tide-gauge records, *J. Marine Geol.*, 81, 41-52.
- EPA "Environmental Protection Agency". 1992. Evaluating environmental effects of dredged material management alternatives: Framework for dredged material management (chapter 6), [www.epa.gov/OWOW/oceans/framework/fwch6.html](http://www.epa.gov/OWOW/oceans/framework/fwch6.html)
- Fanos AM. 1986. Statistical analysis of longshore current data along the Nile Delta coast. *Water Science Journal*, Cairo 1:45-55.
- Fanos A.M., Frihy, O.E., Khafagy, A.A., and Komar, P.D. 1991. Processes of shoreline change along the Nile Delta coast of Egypt. *Coastal Sediments'91*
- Fanos, A.M., 1995. The impact of human activities on the erosion and accretion of the Nile Delta coast. *Journal of Coastal Research* 11, 821– 833.conference, USA, 2: 1547-1557.
- Fanos A.M.; Khafagy A.A., and Dean, R.G. 1995. Protective works on the Nile delta coast. *Journal of Coastal Research*, 11, 516-528.
- Fanos A.M., Khafagy A.A., El Kady MM. 2001. Variations of the Nile River discharge and sediment regime during the period from 1800 to 2000 and its effects on the Nile Delta coast. 8<sup>th</sup> International Symposium on River Sedimentation, Cairo, Egypt, 8 pp.
- Foehrenbach, J. (1973). Eutrophication. *J. Water Poll. Contr. Feder.*, 45,1237.
- Folk, R. and W. Ward (1957). Brazos River Bar: A study in the significance of grain size parameters. *J. Sed. Petrol.* , 27: 3-26.

- Folk, R. L.(1974) Petrology of sedimentary Rocks. Hemphill Publishing Company,Austin,Texas 78703,USA
- Frihy, O.E., 1988. Nile Delta shoreline changes: Aerial photographic study of a 28 year period. *Journal of Coastal Research*, 4:597-606.
- Frihy, O.E.; Badr, A.M and Hassan, M.S. 2002. Sedimentation processes at the navigation channel of the Damietta Harbour on the Northeastern Nile Delta coast of Egypt. *Journal of Coastal Research*, 18: 459-469.
- Frihy, O.E., Dowidar, Kh.M. and El Banna. M. 1998. Natural and Human Impact on the Northeastern Nile Delta Coast of Egypt. *Journal of Coastal Research*, 14:1109-1118.
- Frihy, O.E., Moufaddal, W., and Debes, E. 2006. Comparison of rate of shoreline changes along the Nile delta derived from land survey and satellite imagery (under preparation).
- Frihy, O.E., Fanos, A.M., Khafagy, A., Komar, P.D., 1991. Patterns of nearshore sediment transport along the Nile Delta, Egypt. *Coastal Engineering* 15, 409–429.
- Frihy, O.E. and Lotfy, M.F. (1994). Mineralogy and textures of beach sands in relation to erosion and accretion along the Rosetta Promontory of the Nile delta, Egypt. *J. Coast. Res.* 2: 588-599.
- Francois, R. (1988). Study on the regulation of the concentration of some trace metals in Saanich inlet sediments. *Mar. Geol.* Vol.83: 425-428.
- Franklin, M. L. and J. W. Morse (1983). *Mar. Chem.*, 12: 241-254.
- Goldberg, E. D. ; M. Koide ; K. Bertine ; V. Hodge ; M. Stallard ; D. Martin ; N. Mikac ; M. Branica and J. K. Abaychi (1988). *Appl. Geochem.* 3:561-573.
- Gong, H. (1975). The Geochemistry of Cadmium. Thesis, Dept. Geosciences, Pensylv. Univ, 144 p.
- GESAMP: 1993, 'Impact of Oil and Related Chemicals and Wastes on the Marine Environment'. Report Studies 50: 1-180.
- Harris, F.R.Inc. 1979. Master planning and infrastructures development for the Port of Damietta. Consulting Report to Ministry of Reconstruction and new Communities, Cairo, Egypt, 221p.
- Halloran, R. J. (1982). *Anal. Chim. Acta* 140:51-58.
- Hem, J. D. (1989). Study and interpretation of the chemical characteristics of natural water, 3<sup>rd</sup> ed. U.S. Geological Survey Water-Supply Paper 2253. Government Printing Office. USGS, Alexandria, VA, 263 p.
- Hosny, A. 1977. New Zygothallum taxa from Egypt. *Bot. Notiser*, 130: 467-468.
- Hynes, D; D. Toohey, D. Clarke and D. Marney (1995). Temporal and Spatial Variation of Trace Metals in Coastal Sediments from the Ninety Mile Beach, Victoria, Australia. *Marine Pollution Bulletin*. Vol. 30, No. 6, pp 414-418
- Hanks, T.C.; and McGuire, R.K. (1981). The character of high-frequency strong ground motion, *BSSA*, 71, 2071-2095.

- Ingersoll, C. G. and M. K. Nelson (1989). Testing sediment toxicity with *Hyalrella azteca* (Amphipoda) and *Chironomus riparius* (Diptera). Presented at the ASTM STP 13<sup>th</sup> Symposium on Aquatic Toxicology Risk Assessment, Atlanta, Georgia, 16-18 April, 43 p.
- ITOPF (1997). Response to Marine Oil Spills. ITOPF, London. 114 p. Jordan, R.E. and J.R. Payne (1980): Fate and Weathering of Petroleum Spills in the Marine Environment. Ann Arbor Science Publishers, Inc., Michigan 48106. p. 174.
- Jeftic, L. (1990). State of the marine environment in the Mediterranean region. UNEP Regional Seas Reports and Studies No.132. MAP Technical reports Series No. 28.166p.
- Jenkins, D. W. (1981). Biological monitoring of toxic trace elements. EPA Report 600/S3-80-090, pp. 1-9.
- Johnson, K. S. ; K. H. Coale ; W. M. Berelson and R. M. Gordon (1996). *Geochim. Cosmochim. Acta*, 60:1291-1299.
- Jackson NL, Nordstrom KF. 1994. The mobility of beach fill in front of a seawall on an estuarine shoreline, Cliffwood Beach, New Jersey, USA. *Ocean and Coastal Management*, 23:149-166.
- Klemas V, Abdel Kader AM (1982) Remote sensing of coastal processes with emphasis on the Nile Delta. In International Symposium on Remote Sensing of Environments, Cairo, 27 p
- Kowvarit, I. 1990. Some responses of flora and vegetation to urbanization in Central Europe. In Sukopp, H. & Hejny, S. (eds.): *Urban Ecology*. SPB Academic Publishers bv, The Hague.
- Kennish, M. J. (1996). *Practical Handbook of Estuarine and Marine Pollution*. CRC Press, Inc. 524 p.
- Krauskopf, K. (1956). Factors controlling the concentration of 13 rare elements in sea-water. *Geochim. Cosmochim. Acta*. 9: 1-32
- Lucas, A. and Roux, S.: 1975, 'Toxicity of several crude oils in relation to muscel larvae', *Aquatic Science Fisheries* 5: 223-225.
- La Fond, E. C. (1962). Temperature structures of the upper layer of the sea and its variations with time, in temperature-Its measurements and control in Sc. and industry. vol.3, pt.1, C. M. Herzefeld (ed.) *Basic concepts, standard and methods*. F. G. Brickwedde (ed.) New York, Reinheld Publ. Corp., 848p.
- Law, R.J.; M. Marchand; G. Dahlmann, and T.W. Fileman, (1987). Results of Two Bilateral Comparisons of the Determination of Hydrocarbon Concentrations in Coastal Seawater by Fluorescence Spectroscopy. *Marine Pollution Bulletin*, Vo. 18, No. 9, pp. 486-489.
- Laws, E. A. (1993). *Aquatic Pollution: An Introductory Text-2<sup>nd</sup> Edition*. John Wiley & Sons. Inc. USA. 611p.
- Leland, H. V. and J. S. Kuwabara (1985). Trace metals. In: G.M Rand and S.R. Petrocelli, eds., *Fundamentals of Aquatic Toxicology*. Hemisphere Publishing Company, New York, NY, 666p.

- Lian, L. S. and K. A. Hunter (1986). *Mar. Chem.*, 19:175 -192.
- Lipiatou, E. and A. Saliot (1991-a). Hydrocarbon Contamination of the Rhone Delta and Western Mediterranean. *Marine Pollution Bulletin*. Vol. 22, No. 6, pp. 297-304.
- Lipiatou, E. and A. Saliot (1991-b). Fluxes and Transport of Anthropogenic and Natural Polycyclic Aromatic Hydrocarbons in the Western Mediterranean. *Marine Chemistry*. Vol. 32, pp. 51-71.
- Long, E. and L. G. Morgan (1990). The Potential for Biological Effects of sediment-sorbed contaminants tested in the national status and trends program. NOAA Technical Memorandum NOS OMA 52, National Ocean Service, Seattle, WA, 175p.
- Loring, D. H., and Rantala, R. T. T., 1992, "Manual for geochemical analysis of marine sediments and suspended particulate matter," *Earth Science Reviews*, 32, pp.235-283.
- Manohar, M., 1976. Beach profiles. Proceedings UNESCO Seminar on Nile Delta Sedimentology, Academy of Scientific Research and Technology, Alexandria, pp. 95-99.
- Manohar, M., 1981. Coastal processes at the Nile delta coast. *Shore and Beach*. 49: 8-15.
- Maamoun, M., (1979). "Macroseismic observations of principal earthquakes in Egypt," *Bull. Helw. Inst. Astr. Geophys.* No. 183,
- Maamoun, M., (1979). "Observed intensity- epicenter distance relation in Egyptian earthquakes," *Bull. Helw. Inst. Astr. Geophys.* No. 184,
- Maamoun, M., Allam, A. & Megahed, A., (1979), "Geotectonics and seismic regionalization of Egypt," *Helwan observatory Bull.* No. 71,
- Mancini, L.; P. Drei; L. Venturi and L. Volterra (1995). Hydrocarbon Alkane Pollution Along Italian Coasts. Proceedings of the Second International Conference on the Mediterranean Coastal Environment, *MEDCOAST 95*, October 24-27, Tarragona, Spain, E. Ozkan (editor). pp.1495-1505.
- Mashaly, I.A. 1987. Ecological and floristic studies of Dakahlia-damietta region. Ph.D. Thesis, Fac. Sci. Mansoura Univ.
- Mazmanidi, N.D., Kovaleka, G.I., Kotov, A.M., Bazhashvili, T.R., Diasamadizi, N.M. and Zambakhidzi, N.P.: 1976, 'On the effect of petroleum products on the Black sea hydrobiology', *Marine Pollution Bulletin* 6: 201- 208.
- McGuire and Hanks, 1980: An introduction to probabilistic seismic hazard analysis. In *geotechnical and environmental geophysics* 1, 333-366.
- Meeks, J. C. (1974). Chlorophylls. In: W.D.P. Stewart (Ed.), *Algal physiology and biochemistry*. Bot. Monogr., 10(15):161-175.
- Mostafa HM (1991): Ecological studies on the marine phanerogam *Posidonia oceanica* and some of the associated communities in the Mediterranean waters off Alexandria. Thesis Doctorate. Univ. Alex. 288 pp.

- Mostafa HM (2000): Distribution of different faunal groups associated with the seagrass *Posidonia oceanica* (L.) delile along depth gradient at El-Agami (west of Alexandria): Polychaetes. *Biologia Marina Mediterranea*. Proceedings Fourth International Seagrass Biology Workshop. Balagne (Corsica- France) 26 Sept. to 2 October-2000. Vol.7 fasc. 2: 264-267.
- Mostafa HM (2000): Distribution of different faunal groups associated with the seagrass *Posidonia oceanica* (L.) delile along depth gradient at El-Agami (west of Alexandria): Crustacea. *Biologia Marina Mediterranea*. Proceedings Fourth International Seagrass Biology Workshop. Balagne (Corsica- France) 26 Sept. to 2 October-2000. Vol.7 fasc. 2: 259-263.
- Mossa , J.S.; Al-Yahya, M.A. & Al-Meshal, I.A. 1987. Medicinal Plants of Saudi Arabia (Vol. 1), King Saud Univ. Press, 340 pp.
- Moussa, A. (1984). Estimation of metal pollution in sediments of lake borrollos. VII CIESM: 373-387.
- Mudroch, A. ; J. M. Azcue and P. Mudroch (1997). Physico-chemical Analysis of Aquatic Sediments. LEWIS Publishers, CRC Press, Inc. 287 p.
- Nafaa, M.G., Fanos, A.M. and El Ganainy, M.A., 1991.Characteristics of waves off the Mediterranean coast of Egypt. *Journal of Coastal Research* , 30:25-34.
- Newport City Council (NCC). 2004 . A nature conservation strategy for newport city council, Consultation Draft, August
- National Oceanic and Atmospheric Administration (NOAA) (1991). Second summary of data on chemical contaminant in sediments from the National Status and Trends program. NOAA Technical Memorandum NOS OMA 59, Rockville, MD.
- NRC (1985). Oil in the Sea: Inputs, Fates and Effects. National Academy Press. Washington D.C. U.S.A. pp.
- Nriagu, J. O. (1980). Zinc in the Environment. Ed. Wiley: New York, Part 1, pp 113-159.
- Parsons, T.R., Maita, Y. and Malli, G.M.: 1987, 'Determination of petroleum hydrocarbons', A Manual of Chemical and Biological Method for Seawater Analysis. Pergamon Press, Oxford, pp 1-78.
- Pielou, E.C. 1975. Ecological diversity. Wiley inter-Science, New York, pp. 165.
- Pilon, P.G., P.J. Howarth and R.A. Bullock. 1988. An enhanced classification approach to change detection in semi-arid environments. *Photogrammetric Engineering and Remote Sensing*, v. 54(12):1709-1716.
- Peters, E.C. (1997). Annual Review on Ecotoxicology of Tropical Marine Ecosystems. *Environ. Toxicol. & Chem.* vol 16, No.1, pp : 12-40.
- Rand, G. M. and S. R. Petrocelli (eds.) (1985). Fundamentals of Aquatic Toxicology. Hemisphere Publishing Company, NY, 666p.
- Ravid, R.; O.H. Oren; J. Ben-Yosef and H. Hornung (1985). Oil Pollution in the Mediterranean. *Marine Pollution Bulletin*. Vol. 16, No. 2, pp. 81-84.

- Riley, J. P. and R. Chester (1971). Introduction to marine chemistry. Academic Press, London and New York, 465p.
- Roy, J. I. (1997). Environmental Contaminants Encyclopedia, Copper Entry. National Perk Service, Water Resources Divisions, Water Operations Branch 1201 Oakridge Drive, Suite 250 FORT COLLINS, COLORADO 80525.
- Shaltout, K.H , Sharaf El-Din,A. and El-Shiekh, M.A. 1994). Species richness and phenology of vegetation along irrigation canals and drains in the Nile Delta region, Egypt. *Vegetation* 112:35-43.
- Shaltout, K.H and El-Ghareeb,R. 1992. Diversity of the salt marsh plant communities in the western Mediterranean region of Egypt. *J. Univ. Kuwait (Sci.)* 19: 75-84.
- Shaltout, K.H and Khalil, M.T. 2005. Lake Burullus (Brullus protected area) Publication of National Biodiversity Unit. No. 13. Med Wet Coast project.pp.578.
- Saager, P. M. ; H. J. W. de Baar ; J. T. M. de Jong ; R. F. Nolting and J. Schijf (1997). *Mar. Chem.*, 57:195 -216.
- Said T. O. and M. A.F.Hamed (2006). Determination of Persistent Organic Pollutants in Water of New Damietta Harbour, Egypt. *Egypt Jour. Of Aquatic Research*. Vol. 32. No.1, p: 235-245
- Salomon, W and Forestner, U. (1984). Metals in the hydrocycle. Springer-Verlag, Berlin, 349p.
- Serag, M.S.; Khedr, A.A.; Zahran, M.A. and Willis, A.J. 1999.ecology of some aquatic plants in polluted water courses, Nile delta, egypt. *J Union Arab Biol.*, Cairo, Vol. 9(B) Cytogenetics, Ecology and Taxonomy, 85-97.
- Schroeder, H.A.; Nason, A.P.; Tipton, I.H. and Balassa, J.J. (1967). Essential trace metals in man: zinc. Relation to environmental cadmium. *J. Chronic. Dis.* 20: 179-210.
- Shabara, S. A. (2001). Monitoring of Oil Pollution in the marine environment along Alexandria coast. M.Sc. Thesis, Fac. Sc., Alex. Univer.
- Sieberg, (1932). "Erdbebengesgraphir handbuch der geophysik, "t., IB, Berlin,
- Sogreah, M., 1982. Effects on the construction of the Port of Damietta on the evolution of the littoral drift. Consultancy Report, number 35/1202/R9, 35 pp.
- Smith, E.S. and Abdel Kader, A., 1988. Coastal erosion along the Egyptian Delta. *J. Coastal Res.*, 4: 245-255.
- Strickland, J. D. H. and T. R. Parsons (1972). A Practical Handbook of Seawater Analysis. Fish. Res. Bd. Canada, Bull. 167, 2<sup>nd</sup> ed., 310p.
- Stumm, W. and J. Morgan (1982). Aquatic Chemistry, an introduction emphasizing chemical equilibria in natural waters. Wiley-Inter. Science, John Wiley Sons, Inc. N.Y., London. 583p.
- Sunda, W. G. and S. A. Huntsman (1994). *Mar. Chem.*, 46:133 -152.
- Sutcliffe, D. W. and J. G. Jones ( 1992). Eutrophication: research and application to water supply. *Freshwater Biol. Assoc.*, 2, 231.

- Toma, S.A. and Salama, M. S., 1980. Changes in bottom topography of the western shelf of the Nile Delta since 1922. *Mar. Geol.*, 26: 325-339.
- Tetra Tech., 1984. Shoreline master plan for the Nile Delta coast. Progress Report number 1, 143 pp.
- Tessier, A. and D. R. Turner (1996). Metal Speciation and Bioavailability in Aquatic
- Thornton, I. (1995). Metals in the Global Environment: Facts and Misconceptions. Int'l Council Metals Environment: Ottawa, 35p.
- Trocine, R. P. and J. H. Trefry (1996). Metal Concentrations in Sediments, Water and Clams from the Indian River Lagoon Florida. *Marine Pollution Bulletin*, 32(10):754-759.
- Tumi, S.O.; N.S. Kumar and A. El-Baghdadi (1992b). Marine Pollution Studies: III. Disposal of Drilling Muds and Cuttings in El-Bouri Field Area. *Bulletin of the Marine Biology Research center*. No. 9-B.
- Tackholm, V.1974. Students Flora of Egypt. Cairo Univ. Cairo, pp.888.
- Tadros, T.M. 1953. A phytosociological study of the halophilous communities from Mareotis (Egypt). *Vegetatio* 4:102-124.
- Thoday, D.; Tadros, T.M. & El-Shishiny, E.D. 1956. *Kochia indica* Wight and its dispersal in Egypt. *Bull of Inst. Du Desert d'Egypt*, VI, 57.
- UNEP, 1990, 'Assessment of the state of pollution of the Mediterranean Sea by organohalogen compounds', Map technical report series 39, pp1-104.
- UNEP/IOC/IAEA: 1991, 'Sampling of selected marine organisms and sample preparation for analysis of chlorinated hydrocarbons', Reference methods for marine pollution studies 12, Nairobi, United Nations Environment Program 17.
- UNEP (1977). Pollutants from Land Based Sources in the Mediterranean. UNEP / IG.11 / INF. Monaco 5: 46p.
- UNEP (1991). Standard Chemical Methods for Marine Environmental Monitoring. Reference Methods for Marine Pollution Studies No. 50, 46p.
- UNEP (1992). Determination of petroleum hydrocarbons in sediments. Reference Methods For Marine Pollution Studies No.20, 75p.
- UNEP (1996). State of marine environment and coast in the Mediterranean region MAP-Technical Reports, Series No.101.UNEP-Athens. 147p.
- UNEP/FAO (1985). Bibliography of the Marine Environment in Mediterranean, 1979-1984. UNEP Regional Seas Directories and Bibliographies 2<sup>nd</sup> edition. Rome, FAO
- UNESCO/UNDP, 1978. Coastal Protection Studies. Final Technical Report, UNESCO, Paris, vol. 1, 155 pp.
- UNESCO/UNDP.,1978. Coastal protection studies. Final Technical Report, Paris, 1, 155p.
- Vollenweider, R. A. (1968). Scientific fundamentals of the eutrophication of lakes and flowing waters with particular reference to nitrogen and phosphorus as

- factors in eutrophication. Organization Economic Cooperation and Development. Paris, DAS/CSI/68, 1968, 27.
- Wagner R.J. 2000. Houston-Galveston Navigation Channel: Blueprint for the beneficial uses of dredged material. *Coastal Management*, 28:337-352.
- Wang N, Gerritsen F. 1995. Nearshore circulation and dredged material transport at Waikiki Beach. *Coastal Engineering*, 24:315-341.
- White, K. and El-Asmar, H. Monitoring changing position of coastlines using Thematic Mapper imagery, an example from the Nile Delta. *Geomorphology*, 29: 93-105.
- Wedepohl, K.H. (1960). Suprenahaytische untersuchungen und Tiefseetonen aus dem Atlantik. *Geochim. Cosmochim. Acta*. 18: 200-231.
- Wiener, J. G. and P. M. Stokes (1990). Enhanced bioaccumulation of mercury, cadmium, and lead in low - alkalinity waters; an emerging regional environmental problem. *Environmental Toxicology and Chemistry*, 9:821-823.
- Young, E.J. (1954). Trace elements in recent marine sediments. *Bull. Amer. Geol. Soc.* 65: 1329-1333
- Zahran, M.A., El Demerdash, M.A. and Mashaly, I.A. 1990. Vegetation types of the
- Zentara, S. J. and D. Kamykowski (1977). Latitudinal relationships among temperature and selected plant nutrients along the West Coast of North America. *J. Mar. Res.*, 35(2):321-337